Association Business
AMERICAN POTATO JOURNAL SUBJECT AND AUTHOR INDEX VOLUME 74, 1997

Subject Index

Analysis
- Ascorbic acid analysis, 289
- Costat statistical software, 5
- Free amino acid analysis, 91
- Glycoalkaloid analysis, 290
- Multimedia software package for potato planting technique to improve yields, 119-124
- Northern blot analysis, 412
- Phenolic acid analysis, 90
- RT-PCR procedure, 305
- SAS univariate procedure, 67
- Segregation analysis, 403
- Sensory analysis of chips, 92
- Sugar analysis, 90

Bacteria
- *Bacillus thuringiensis*, 67
- *Erwinia carotovora*, subsp. *atroseptica*, 161, 162, 265-269
- *Erwinia carotovora*, subsp. *carotovora*, 161, 162, 265-269
- *Erwinia chrysanthemi*, 162, 265-268
- *Erwinia* species, 265-275
- Late blight disease testing, 75-86
- Mead's rule-of-thumb rating scale, 269
- Resistance to *Erwinia*, 161-172
- Soft rot determination reliability, 265-275
- *Streptomyces scabies*, 125
- Tuber effects on oopsore germination, 315-324
- Tuber slice method for soft rot determination, 265

Chemical
- α-amino butyric acid, 89
- ammonium sulfate, 3
- ascorbic acid, 3
- β-sito-sterol, 317
- Carbon tetrachloride, 326
- Ca (Nd_3) •4H 0, 325, 372
- Chlorpropham, 107-118, 183
- Dichlorocthane, 326
- DimethylNapthalene (DMN), 183, 190
- Diethylthiocarbonate, 247
- Diisopropylnapthalene (DIPN), 183, 190
- Epicatechin, 89
- Ethanol, 89
- Ethylene chlorohydrin, 326
- Folin and ciocalteu mixture, 5
- Glucose-6-phosphate isomerase, 316
- HCl, 150
- KCl, 150, 380
- Mannitol, 89
- Mg Cl, 150
- Na C10, 325, 372
- N-ethylmaleimide, 247
- NH_4NO_3, 325, 372
- Peptidase, 316
- Pimaricin, 80
- Penicillin, 80
- Polymixin, 80
- Rindite, 325
- Sodium Carbonate, 5
- Sodium molybdate, 5
- sodium phosphate, 5, 247
- Sodium sulfite, 247
- Tween 20, 325, 372

Diseases
- Blackleg, 161-163, 166, 265-295
- Disease disorders of NorDonna, 36
- Disease evaluations of Mainestay, 255, 261, 262
- Late blight tuber rot, 39-43
- Late blight US-8, 75-86
- Leafroll, 305-314
- Mead's rule-of-thumb, 269
- PAI 95-7 (genotype), 80-82
- *Phytophthora infestans*, 39, 75-86, 315-324
- *Phytophthora infestans* genotypes, US-1, US-6, US-7, US-8, 39-40, 75-81
- *Phytopthora* species, 316
- *Phytopthora* strains, 40
- Tuber rot development for North American

clones, 39, 41-42
Tuber soft rot, 161-169, 265-295
Equipment
Agtron E10 colorimeter, 89
Bandix psychrometer, Model 566, 80
Centricon -50 concentrator, 3
Conviron environmental chamber, Model E15, 17
DNA probe, RG57, 316
Eppendorf tube, 306
Floral aqua tubes, 349
Flow control module 1605, 174
Gel-electroporesis, 5
Herrmidifier, Series 500, 80
Hunter CT1100, colorimeter, 89
Leaf area meter LI3000A,
Minolta Chlorophgie mitic SPAD-502
Miracloth, 3
Pharmacia, Model LCC-500 EPLC system, 3
Philips, T.L.D. 84 fluorescent lamps, 349, 373
Polytron tissue grinder, 5
Rotary evaporator, 89
Schoeffel monitor Model SF770 uv, 3
Sephadex G-25 gel-filtration calcium, 3, 5, 8
Shimadzu-SPD-M6A photodiode, 247
Superase 12 HR, 10/30 column, 3, 6-9
Tuber slicer, 306
Waring blender, 89
Fertilization
Higher disease incidence when KCL used instead of $K_2 SO_4$, 391
Interaction to diseases by K applications, 390-392
KCi, yields stable, 387
K effects on potato yields, quality, and disease incidence, 380-382
K rate decreased stem numbers per seedpiece, 380
$K_2 SO_4$ decreased yields, 387
Nitrogen media concentrations, 372
Nitrogen supply effect on micropropagation, 376
Rhizoctoria solani and hollow-heat not affected by K applications, 380, 392
Specific gravity affected by K SO, 380
Growth Regulators
Gibberellic acid, 125
Indoleacetic acid, 125
Kinetin, 373
Zeatin, 125
Glycoalkaloids
Chaconine, 285, 290
Glycoaltaloids, 66
Glycoalkaloids concentrations in 2X and 4X chacoense genotypes, 19
Leptine glycoalkaloids, 15, 16, 19
Solanine, 285, 290
Insecticides
Bacillus thuringiensis, 67
Carbaryl, 67
Lanate, 24
Insects
Aphis nasturtii (buckthorn), 305, 306
Colorado potato beetle, 6, 7, 15, 16, 19, 311
CPB survival after feeding on 2X and 4X *Solanum chacoense* genotypes, 20
Empoasca fabia, 66
Green peach aphids, 305
Leafhopper, 65, 66
Leptinotarsa decemlineata, 15, 16, 67
Macrosiphum euphorbiae (potato aphid), 305
Non colonizing aphids, 305
Physalis floridana, 311
Media
Baccto soil mix, 78
Difco agar cultures, 372
Knop's medium, 371
M S Media minus sucrose, 17, 371, 375
Murashige and Skoog's medium, 372
Rye-A media, 316
Strong-lite universal mix, 2
V-8 juice agar, 317
ZIG medium, 125
Microtubers
Microtuber treatment, 325-330
Microtuberization, 370-373, 376
Micropropogation, 370-374
PAA Affairs
Abstracts of papers presented at the 81st Annual Meeting of the PAA, 415
Annual meetings of the PAA
Final call for Graduate Student Awards competition, 143
Final call for nominations for Honorary Life Members, 145
Final call for papers for Annual Meeting of PAA, 141
Honorary Life Members (1997)
Donald G. Anderson, 355
Dale R. Hensel, 357
Edwin S. Plissey, 360
Masa Tsukamoto, 363

Obituary, George Woodbury, 283
Outstanding paper awards for 1996, 367
Past officers of the PAA
Pre-registration for the 81st Annual Meeting of the PAA, 51
Program for 81st Annual Meeting of the PAA, 215
Second call for Graduate Student Awards competition, 47
Second call for Honorary Life Membership Nominations, 49
Second call for papers for the 81st Annual Meeting of the PAA
Physiological Problems
Blackspot, 1, 2, 12
Defoliation differences by Colorao Potato Beetle resistant cultivars,
Enzymatic browning, 1-3, 12
Internal heat necrosis, 233-243
Influence of Cultural Management, 237-241
Influence of environment, 233-237
Influence of genetic heritability, 241-243
Internal disorders of Mainestay cultivar, 255
Heat necrosis, 255
Heat sprouts, 255
Purple streak, 255
Vascular discoloration, 255
Introduction to papers submitted at Internal Necrotic Disorders symposium, 365
Non-browning tubers, 1, 2
Physical disorders of Cultivar NorDonna, 36
Potato Breeding
Aberrant cytokinesis, 400
Bottle grafting, 279
Breeding lines resistant to PAI-95-7 US8 late blight genotype, 83
Cultivar identification, 149-159
Diploid genotypes, 15, 20
Diploid interspecific hybrids, 161
DNA finger printing, 149-159
Early generation selection for individual tuber traits, 199-213
Genetic control Qn pollen production,
Genotype by environment interaction, 199
Germplasm release of late blight resistant potato clones, 337-346
Germplasm tested for late blight susceptibility by geographical origin, 77, 78
Meiotic mutants, 406
Microsporogenesis, 400, 403, 404
Micropropagation, 403
Microssatellites, 405
NorDonna, a new red-skinned, white fleshed cultivar, 31-37
Qn pollen in *Solanum*, 400, 401
Polymorphism, 150
Resistance to *Erwinia* spp., 161-172
Segregation analysis, 403
Shoot morphology, 373
Simple sequence repeats (SSR's), 149, 150
Single norse explants, 371
Solanium tuberosum genotypes, 65-67, 71, 72, 149
Solanium tuberosum - *S. Chacoense* hybrid, 400, 402
Solanium tuberosum - *S. Phureja* hybrid, 400, 402
Tetraploid genotypes, 15, 20
Visible tuber traits selected for ealy evaluations, 202
Potato Cultivars (new)
Mainestay, 255-264
NorDonna, 31-38
Potato Cultivars (old)
A. C. Ptarmigan, 87, 89
Ajax, 23-29
Allegany, 176
Andretta Ross, 277
Atlantic, 81, 82, 258, 259, 265-269, 277, 279, 285
Barakar, 370, 372-274
Belchip, 149
BelRus, 234
Bison, 31, 32
Bliss triumph, 149
Cherokee, 258
Chieftan, 31, 32
Crystal, 23-29
Delta Gold, 257
Desiree, 325, 326
Earlaine, 267
Elba, 332
Fontenot, 34
Gold Rush, 81, 82
Green Mountain, 341, 342, 347, 348
Jarelo, 370, 372-375
Katahdin, 67, 69-71, 125, 149, 234, 255, 278, 279
Kennebec 15, 20, 23-29, 67, 69-71, 176, 255, 343, 347, 348
Labelle, 23-29
LaRouge, 34

Lemhi, 339
Lenape, 338
Liseta, 23-29
Mondial, 23-29
Menominee, 259
Norchief, 31
Norchip, 23-29, 265-269, 332
Pike, 75, 82
Red LaSoda, 34, 149
Red Norland, 31, 34, 149, 332
Red Pontiac, 31, 34, 149, 332
Red Ruby, 34
Rosa, 338
Russet Burbank, 3, 12, 81, 82, 107, 109, 149, 176, 183, 234, 237, 287, 344
Saco, 277-279
Seminole, 257
Signa Gold, 23-29
Shepody, 82
Snowden, 75, 82, 87, 89
Spunta, 23-29, 149, 371-375
Superior, 82, 258, 265-269, 285
Turia, 371-375
Viking, 34
Vital, 23-29
Wauseon, 149, 338
Yukon Gold, 82
Zarevo, 75-82
Potato Cultivars (Numbered seedlings)
45-208, 257
336-144, 257
47102, 257
8380-1 (genotype), 15, 16, 20
AC 2595-3, 258
AC 26055, 257
AF 431-9, 257
AF 1060-2, 256 (Mainestay)
B 0220-14, 278, 279
B 0286-3, 338
B 0300-8, 339
B 0406-3, 277
B 0718-3, 337
B 0767-2, 337
B 83-9, 257
B 355-24, 257
B 607-56, 257
B 3672-3, 257
B 3692-4, 257
B 5141-6, 277
B 6039-wv9, 257
B 6603-12, 277, 279
B 6969-1, 338
B 6987-184, 338
B 7160-4, 338, 339
B 7610-1, 339
B 8568-19, 338, 339
B 8784-5, 338
B 9540-29, 339
B 9775-1, 338-340
B 9775-17, 340
B 9933-27, 338
FL 1625, 87, 89
FL 1816, 87, 98
MN 4536, 32
MN 8758, 32
ND 206-1R, 31
ND 821-6R, 31
ND 1215-1, 331
ND 1871-3R, 31 (NorDonna)
ND 2471-8, 87, 89
ND 2858-1, 331, 332
ND 4382-1, 331
ND 4382-17, 331
ND 4382-19, 331
ND 4382-25, 331
ND 8200-4R, 32
ND 8647-3R, 32
ND 9079-1R, 32
ND 9403-20R, 32
NOR 333, 25
NYL 235-4, 247
P 2319-1, 258
PI 2751-6, 258
PI 458310, 15, 16
POT 32, 2, 5
POT 33, 2, 5
PPO-P1, 2, 6
PPO-P2, 2, 6
x 96-56, 257
x 96-140, 257
x 528-196, 257
x 926-36, 257
Potato Quality
amino acids, 88
amino acid content of tubers, 98, 99
ascorbic acid, 285
Bake and boil qualities of Mainestay, 255
Chemical characteristics of ten cultivars grown in Jordan, 23, 27
Chlorogenic acid, 4, 5, 12
Comparative appearance ratings of Mainestay, 260
Comparitive physical properties of NorDonna, 34

French fries, 24, 29
Glycoalkaloid content of Atlantic and Superior tubers, 285, 286, 297, 302
Influence of potato composition on chip color, 87, 88, 101
Influence of soil amendments and supplemental irrigation on ascorbic acid and glycoalkaloids, 285, 287, 293
Maillard reaction, 87
Melamin, 2, 88
Non-enzymatic browning, 88
Phenolic acid content of tubers, 96, 97
Phenolic substrates, 1, 4, 12
Polyphenal oxidas protein, 1, 11
Processing characteristics of ten cultivars grown in Jordan, 23-26
Potato chips, 24, 29, 87, 99, 100
Sensory evaluations of NorDonna, 36
Specific gravity, 65, 70, 71, 164, 258, 259
Storage quality ratings of Mainestay, 260
Storage quality of Mainestay, 260
Sucrose, 88
Sugar composition and chip color, 93-95
Tuber ascorbic acid concentrations, 291
Potato Species
Barley, 150
Brassica, 150
Maize, 150
Physalis floridana, 311
Pine, 150
Rice, 150
Soybean, 150
Tomato 2, 150, 347
Wild Yam, 150
Potato Species (*Solanum*)
berthaultii, 2, 4
brevidens, 163, 267
bulbocastanum, 75, 78, 81, 83
canasense, 163
chacoense, 15-20, 267
commersonii, 161
fendleri, ssp fendleri, 331
hjertingii, 1, 2, 4-12
microdontum, 167
multidissectum, 163
phureja, 125, 149, 150, 167, 267
stenotomum, 168, 267
tarigense, 163
tuberosum, 1, 5-12, 16, 75-78, 81, 125, 149, 161, 255, 267, 277, 347, 372
Regeneration of potato plants from leaf explants, 125-130
Residues of CIPC on potato tubers, 107, 110, 111
Resistance to potato leafhopper, 66
Rindite effect on storage behavior, dormancy, and sprout growth, of minitubers, 325-330
Single node explants, 330
Sprout inhibition, 107-118, 193-198
Sprout suppressants, 183, 185, 187
Viruses
Coat protein gene analysis, 247, 248
Canadian isolates of PVX, 245, 248, 251
Denaturing isoelectric focusing, 245
ELISA, 277-280, 306
Gomphrena globosa, 246
Nicotina debneyi, 248
Nucleotide sequencing, 245, 249
Peptide analysis, 245
PLRV, 305
PLRV-RNA, 306
Potato carlavirus (PVS), 277, 278
Potato virus PVY°, 246
PVM, 278
PVS resistance of clone B 6603-12, 277-281
PVX, 278
PVX coat proteins, 245, 246
Resistance to PVS, 277
SDS-PAGE, 245, 247
Virus purification, 247
Yields
Comparative yields of Mainestay, 258, 259
Comparative yields of NorDonna, 34, 35
Tuber yields of genotypes resistant to leafhopper, 65, 66, 71
Yields of cultivars resistant to CPB, 332

Association Business
AMERICAN POTATO JOURNAL

Author Index – Volume 74

AJLOUNI, M.M. *see* EREIFEJ, K.I.
ALI-KAHN, S.T. *see* DAN, H.
ALI-KHAN, S.T., C. HETNER, L. LADISLAV, and V. CURRIE. Essential plant oils as potato sprout inhibitors, 415 (abst.).
ALI-KHAN, S.T. *see* MOZAFARI, J.
ALLEN, E. *see* FIRMAN, D.
ARSENAULT, W.J. The effects of size of whole seed and pre-plant storage conditions on yield and tuber size distribution of Russet Burbank, 415 (abst.).
ASHKENAZI, V. *see* CANI, E.
AZIZ, A.N., J.E.A. SEABROOK, and G.C.C. TAI. RAPD analysis of individual pollen grains from diploid potato, 416 (abst.).
BACKLUND, J.E. *see* HAYNES, K.G.
BAER, D. *see* PAVULURI, S.
BALBYSHEV, N.F. *see* LORENZEN, J.H.
BALLARD, JR., H. *see* PERALTA, I.E.
BAMBERG, J.B. *see* CHEN, Y-K.
BAMBERG, J.B., A.H. del RIO and M. MARTIN. Expanding the geographical representation of *Ex Situ* germplasm samples of wild *Solanum jamesii* and *S. fendleri* from the USA, 416 (abst.).
BAMBERG, J.B. *see* del RIO, A.H.
BAMBERG, J.B. *see* DOUCHES, D.S.
BAMBERG, J.B. *see* LOZOYA-SALDANA, H.
BAMBERG, J.B., D.J. ORMROD, and W.E. FRY. Screening wild *Solanum* germplasm for resistance to late blight, 417 (abst.)
BAMBERG, J.B. *see* VEGA, S.E.
BARRALL, G.A. *see* BERTRAM, M.C.
BARONE, A., D. CARPUTO, G. LaROTONDA, and L. FRUSCIANTE. Discrepancy between spindle anomalies and in pollen production in *Solanum* interspecific hybrids, 418 (abst.).
BARRETT, K.B., P. NOLTE, W.B. JONES, M.A. BATEMAN, M.C. BERTRAM, and L.L. NOLTE. Antimicrobial properties of a grain-derived product, 417 (abst.).
BASSI, A.B. *see* LAIRD, D.W.
BATEMAN, M.A. *see* BARRETT, K.B.
BERGER, P.H. *see* NOLTE, P.
BERRAM, M.C. *see* BARRETT, K.B.
BERTRAM, M.C., J. OJALA, and G.A. BARRALL. Magnetic resonance as a tool for non-destructively detecting defects and dry matter content of potato tubers, 417 (abst.).
BETTI, J.A. *see* SOUZA-DIAZ, J.A.C.
BISHOP, B.A. *see* GRAFIUS, E.J.
BLAKE, J. *see* NASIRUDDIN, K.M.
BLANKEMEYER, J.T., M.L. McWILLIAMS, and M. FRIEDMAN. Fluorimetric assay of antifungal activity by potato glycoalkaloids, 418 (abst.).
BOITEAU, G. Characterization of the interaction between the green peach aphid and PVY dispersal parameters, 418 (abst.).
BOITEAU, G. *see* SINGH, R.P.
BOLUARTE, T. and R.E. VEILLEUX. Characterization of a backcross population for another culture response: First step to target genes controlling androgenesis in potato, 419 (abst.).

BOLYARD, M.G. *see* CLEARLY, J.A.
BOTHAST, R.J. *see* SCHISER, D.A.
BOTHAST, R.J., *see* SLININGER, P.J.
BOTTEAY, G. *see* SINGH, R.P.
BOWEN, B. *see* GROZA, H.
BRANDT, T.L. *see* CORSINI, D.
BRANDT, T.L. *see* KLEINKOPF, G.E.
BRODIE, B.B. *see* CHACON, G.
BROWN, C.R., B. SCHUCK-ENNIS, C.P. YANG, H. MOJTAHEDI, and G.S. SANTO. Genetic marker analysis of introgression of resistance to Columbia root-knot nematode, 419 (abst.)
BROWN, J. *see* MANRIQUE, K.K.
BUKHALID, R.A *see* LORIA, R.
BURKHEAD, K.D. *see* SLININGER, P.J.
BURNS, V.J. *see* KAWCHUK, L.M.
BUSHWAY, A.A. *see* WORK, R.W.
BUSHWAY, R.J. *see* ZHANG, L.
CAMBOURIS, A.N., M.C. NOLIN, and R.R. SIMARD. Variable rate application of P and K for potato crop in Quebec, Canada, 420 (abst.).
CAMBOURIS, A. *see* SIMARD, R.R.
CAMERON, D.C. *see* YU, W-C.
CANI, E. *see* JOHNSON, A.
CANI, E., V. ASHKENAZI, J. HILLEL, and R.E. VEILLEUX. SSR analysis of the genetic composition of an anther-derived potato family, 420 (abst.).
CAPPAERT, M.R. *see* INGLIS, D.A.
CAPPAERT, M.R. *see* PARKS, R.L.
CAPPAERT, M.R., M.L. POWELLSON, and D.I. INGLIS. Potato late blight IPM: education is our product, 421 (abst.).
CAPPAERT, M.R. and M.L. POWELSON. Potential of a green manure to suppress early dying of potato in the Columbia Basin, 421 (abst.).
CARDI, T. *see* CARPUTO, D.
CARPUTO, D. *see* BARONE, A.
CARPUTO, D., T. CARDI, M. SPEGGLORIN, A. ZOINA, and L. FRUSCIANTE. Resistance to blackleg and tuber soft rot in sexual and somatic interspecific hybrids with different genetic background, 161.
CARROLL, R.B. *see* MOHAMED, S.
CARTER, M.R. *see* SANDERSON, J.B.
CEARLY, J.A. and M.G. BOLYARD. Regeneration of *Solanum tuberosum* cv. Katahdin from leave explants *in vitro*, 125.
CHACON, G., R.L. PLAISTED, and B.B. BRODIE. Inheritance of the resistance to pathotype Ro2 of *Globodera rostochiensis*, 422 (abst.).
CHEN, Y-K, J.B. BAMBERG, and J.P. PALTA. Cold hardiness and tuber production in progeny derived from somatic hybrids between *Solanum tuberosum* and *S. commersoni*, 422 (abst.).
CHRIST, B.J. and K.G. HAYNES. General combining ability for early blight resistance from open pollinated 4X-2X early blight resistant potatoes, 422 (abst.).
CHRIST, B.J. *see* HAYNES, J.B.
CHRIST, B.J. *see* HAYNES, K.G.
CLOUGH, G. *see* FERNANDO, S.
COFFIN, A., A.V. STURZ, and R.P. SINGH. Evaluation of RT-PCR method for the simultaneous detection of PLRV and PVY in field grown tubers, 423 (abst.).
COFFIN, R. *see* KALT, W.
COFFIN, R. *see* PRANGE, R.
COLEMAN, W.K. and J. MCINERNEY. Enhanced dormancy release and emergence from potato tubers after exposure to a controlled atmosphere, 173.

COLTMAN, R.R. and T.L. GERMAN. Effects of pot size and trellising on yields of greenhouse minitubers, 423 (abst.).
COLTMAN, R. R. *see* GROZA, H.
CONNERS, E. *see* PETERS, R.D.
COLTMAN, R. *see* GROZA, H.
COOMBS, J. *see* LI, W.
CORSINI, D., G. KLEINKOPF, and T. BRANDT. The oxidative index as a measure of physiological age of potato tubers, 424 (abst.).
CORSINI, D. *see* PAVEK, J.J.
CREAMER, N.G. *see* MUNDY, C.
CROZIER, C.R. *see* MUNDY, C.
CURRIER, A.I. *see* LAMBERT, D.H.
CURRIER, A.I. *see* LAMBERT, D.H.
CURRIE, V. *see* ALI-KAHN, S.T.
CUTRIGHT, R. and R.E. VEILLEUX. Derivation of monoploid potato families by another culture and pseudogamy, 425 (abst.).
DAN, H., A. STANKIEWICZ, S.T. ALI-KAHN, and J. ROBB. Use of PCR-based diagnostics in breeding for pathogen resistance in potato, 425 (abst.).
DANIELS-LAKE, B. *see* KALT, W.
DANIELS-LAKE, B. *see* PRANGE, B.
DAVIDSON, R.D. Use of microplants for determining bacterial ring rot expression in advanced clonal selections, 425 (abst.).
DAVIDSON, R.D. *see* NOLTE, P.
DAVIDSON, R.D. *see* THOMPSON-JOHNS, A.
DAVIES, P.J. *see* EWING, E.E.
DAVIS, A.A. *see* REEVES, A.F.
DAVIS, J.R. *see* WESTERMANN, D.T.
DEAHL, K.L. *see* KOWALSKI, S.P.
DEAHL, K.L. *see* KOWALSKI, S.P.
DEAHL, K.L. *see* RONNING, C.M.
DEAHL, K.L. *see* SANFORD, L.L.
DEAHL, K.L. *see* SANFORD, L.L.
DEAN, P. *see* KALT, W.
DEAN, P. *see* PRANGE, R.
del RIO, A.H. and J.B. BAMBERG. Use of rapid markers to optimize potato genebank management: Identification of a "mystery" *Solanum sucrense* accession, 461 (abst.).
del RIO, A.H. *see* BAMBERG, J.B.
De JONG, H. *see* KAWCHUK, L.K.
DOMEK, J.M. *see* KOWALSKI, S.P.
DOUCHES, D.S. *see* HAYNES, K.G.
DOUCHES, D.S. *see* LI, W.
DOUCHES, D. *see* NIEMIRA, B.A.
DOUCHES, D.S. *see* SCHNEIDER, K.
DOUCHES, D.S., W.W. KIRK, K. JASTRZEBSKI, C. LONG, and R. HAMMERSCHMIDT. Susceptibility of potato varieties and advanced breeding lines (*Solanum tuberosum* L.) to *Phytophthora infestans* (mont.) de Bary in greenhouse screenings, 75.
DOUCHES, D.S., W.W. KIRK, and J.B. BAMBERG. Fine screening wild *Solanum* species for resistance to late blight, 426 (abst.).
DOUCHES, D.S. *see* WESTADT, A.
DOUGLASS, L.K. *see* SEABROOK, J.E.A.
DRISCOLL, A. *see* PETERS, R.D.
EDWARDS, L.M. Soil erosion measured in potato fields during the cool period after harvest, 426 (abst.).

ENGLEHART, K.M. *see* VAYDA, M.E.
EMERY, S.M. and D.E. HALSETH. Cultural practices and crop productivity interaction with long potato tuber domancy, 427 (abst.).
ERICH, M.S. *see* FITZGERALD, C.B.
EREIFEJ, K.I., R.A. SHIBLI, M.M. AJLOUNI, and A. HUSSEIN. Chemical composition variations of tissues and processing characteristics in ten potato cultivars grown in Jordan, 23.
EVERSON, D.O. *see* WESTERMANN, D.T.
EWING, E.E., I. SIMKO, and P.J. DAVIES. Polygene mapping as a new tool for physiological studies, 427 (abst.).
FARNSWORTH, B.L. *see* NOVY, R.G.
FAY, J.C. and W.E. FRY. Effects of hot and cold temperatures on the survival of oospores produced by United States strains of *Phytophthora infestans*, 315.
FERNANDEZ, G.C.J., *see* MILLER, JR., J.C.
FERNANDO, S., J. McMORRAN, A. MOSLEY, and G. CLOUGH. Potatoes, cover crops, and nitrate leaching in the lower Columbia river basin of Oregon, 428 (abst.).
FIRMAN, D. and E. ALLEN. Rationalizing control of tuber blemishing disease, 428 (abst.).
FITZGERALD, C.B., G.A. PORTER, and M.S. ERICH. Response of potatoes to residual soil phosphorus and phosphorus fertilizer in Aroostook County, Maine, 429 (abst.).
FLORES, R. *see* LOZOYA-SALDANA, H.
FRAZIER, M.J. *see* KLEINKOPF, G.E.
FREEMAN, T.P. *see* PAVULURI, S.
FRIEDMAN, M. *see* BLANKEMEYER, J.T.
FRUSCIANTE, L. *see* BARONE, A.
FRUSCIANTE, L. *see* CARPUTO, D.
FRY, B.A. *see* LORIA, R.
FRY, W. *see* HAYNES, K.G.
FRY, W.E. *see* BAMBERG, J.B.
FRY, W.E. *see* FAY, J.C.
GERMAN, T.L. *see* COLTMAN, R.R.
GIMENEZ, R.M. *see* POWER, R.J.
GOINS, E.W. *see* GOTH, R.W.
GOTH, R.W. and E.W. GOINS. Potato Carlavirus S (PVS) resistance of potato clone, B6603-12, 277.
GOTH, R.W. and K.G. HAYNES. Effect of verticillium wilt on yield, tuber size distribution, specific gravity and chip color in potatoes, 429 (abst.).
GOTH, R.W. and K.G. HAYNES. The germplasm release of B0718-3 and B0767-2: Two late blight resistant potato clones, 337.
GOTH, R.W. *see* HAYNES, K.G.
GOTH, R.W. and KEANE, J. A detached-leaf method to evaluate late blight resistance in potato and tomato, 347.
GRACE, E.A. *see* LORIA, R.
GRAFIUS, E. *see* LI, W.
GRAFIUS, E.J., D. MOTA-SANCHEZ, B.A. BISHOP, and M.E. WHALON. Resistance to imidacloprid in Colorado potato beetle, 430 (abst.).
GRAFIUS, E. J. *see* WESTEDT, A.
GROZA, H., B. BOWEN, and J. JIANG. Chipping from cold long storage results in the breeding process, 430 (abst.).
GROZA, H. and R. COLTMAN. Tuber shape and multiplication relationship in minituber production, 430 (abst.).
GUDMESTAD, N.C. *see* PAVULURI, S.
GUDMESTAD, N.C. *see* NOVY, R.G.
GUNDERSON, B. *see* INGLIS, D.A.
GUNDERSON, B. *see* INGLIS, D.A.

GUNTER, C.C. and J.P. PALTA. Drip fertilization with Calcium Nitrate can impact yield of US #1 tubers, 431 (abst.).
GUNTER, C.C. and J.P. PALTA. Improving seed piece quality by increasing seed tuber calcium, 432 (abst.).
HABERLACH, G.T. *see* HELGESON, J.P.
HALL, R. *see* MPOFU, S.I.
HALL, R. *see* PETERS, R.D.
HALSETH, D.E. *see* EMERY, S.M.
HALSETH, D.E. *see* OLIVIER, C.
HAMERNIK, A.J. and R.E. HANNEMAN, JR. Family comparisons of Haploid X species hydrid transplants VS fist year tubers for tuberization and 2C cold chipping, 432 (abst.).
HAMLEN, R.A. *see* POWER, R.J.
HAMM, P.B., R.E. INGHAM, and J.R. JAEGER. The economic return of using soil fumigants during potato production in the Columbia Basin of Oregon, 433 (abst.).
HAMMERSCHMIDT, R. and DOUCHES, D.S.
HAMMERSCHMIDT, R. *see* KIRK, W.
HAMMERSCHMIDT, R. *see* NIEMIRA, B.A.
HANNEMAN, JR., R.E. Building blocks for enhancement, 433 (abst.).
HANNEMAN, JR., R.E. *see* HAMERNIK, A.J.
HANNEMAN, JR., R.E. *see* RAMON, M.
HANNEMAN, JR., R.E. *see* SERQUEN, F.C.
HAYNES, K.G. *see* CHRIST, B.J.
HAYNES, K.G. *see* GOTH, R.W.
HAYNES, K.G. *see* GOTH, R.W.
HAYNES, K.G., D.H. LAMBERT, B.J. CHRIST, D.P. WEINGARTNER, D.S. DOUCHES, J.E. BACKLUND, G. SECOR, W. FRY, and W. STEVENSON. Phenotypic stability of potato clones evaluated for resistance to late blight at eight sites in the United States, 434 (abst.).
HAYNES, K.G., W.J.E. POTTS, and R.W. GOTH. Evaluation of the reliability of determining soft rot resistance in potatoes by the tuber slice method, 265.
HELGESON, J.P., G.T. HABERLACH, J.M. McGRATH, J.A. RAASCH, S.K. NAESS, and S.M. WIELGUS. A RAPD marker linked to late blight resistance derived from *Solanum bulbocastanum* potato somatic hybrids, 434 (abst.)
HEMPSTEAD, D.W. *see* JONES, W.B.
HENNINGER, M.R. *see* STERRETT, S.B.
HERNANDES, A. *see* LOZOYA-SALDANA, H.
HERNANDEZ, A. *see* LOZOYA-SALDANA, H.
HERNANDEZ, A., H. LOZOYA–SALDANA, and T. ZAVALA. Incidence of potato late blight races on American clones in the Toluca Valley, 435 (abst.).
HERO, D.E. *see* PANIQUE, E.
HETNER, C. *see* ALI-KAHN, S.T.
HILLEL, J. *see* CANI, E.
HOLM, E.T. *see* NOVY, R.G.
HOLMSTROM, D.A. *see* SANDERSON, J.B.
HONESS, B.L. and G.C.C. TAI. The developing potato seed industry and expansion of local and introduced potato varieties in Northern China, 435 (abst.).
HONEYCUTT, C.W. Developing a nitrogen management program for potato, 436 (abst.).
HUSSEIN, A. *see* EREIFEJ, K.I.
HOLM, E.T. *see* NOVY, R.G.
HUGHES, B.P. and C.N.F. KEITH. The effects of fertility on greenhouse minituber production, 436 (abst.).
INGHAM, R.E. *see* HAMM, P.B.
INGLIS, D.I. *see* CAPPAERT, M.R.

INGLIS, D.A., B. GUNDERSON, M.L. POWELSON, and M.R. CAPPAERT. Evaluation of foliar fungicide spray programs across North America for control of late blight of potato, 436 (abst.)
INGLIS, D., B. GUNDERSON, and R. THORNTON. Protecting potato foliage and tubers with intermediate resistance to *Phytophthora infestans* in a reduced-sprays strategy, 437 (abst.).
IRUEGAS, R. *see* POWER, R.J.
JAEGER, J.R. *see* HAMM, P.B.
JAMES, R.V. *see* PANIQUE, E.
JANSKY, S. and D. ROUSE. *Verticillium* resistance in diploid *Solanum* hybrids, 437 (abst.).
JASTRZEBSKI, K. *see* DOUCHES, D.S.
JENKINS, S. *see* PETERS, R.D.
JIANG, J. *see* GROZA, H.
JIANG, J. *see* SONG, J.
JOHANSEN, R.H. *see* NOVY, R.G.
JOHNSON, A., S. PIOVANO, V. RAVICHANDRAN, S. TEPARKUM, E. CANI, and R.E. VEILLEUX. Protoplast fusion of monoploid potatoes, 438 (abst.).
JOHNSON, K.B. *see* PARKS, R.L.
JOHNSTON, H.W. *see* SANDERSON, J.B.
JONES, W.B. *see* BARRETT, K.B.
JONES, W.B., D.W. HEMPSTEAD, and J.B. SCOTT. Evaluation of GPS/GIS as a tool in seedpiece placement, 438 (abst.).
JOYCE, P.J. *see* YU, W-C.
KALT, W., R. PRANGE, B. DANIELS-LAKE, J. WALSH, P. DEAN, R. COFFIN, and R. PAGE. Efficacy of Novel sprout inhibitors for stored Russet Burbank potatoes, 439 (abst.).
KALT, W. *see* PRANGE, R.
KAWCHUK, L.M., H. De JONG, and V.J. BURNS. Inheritance of a light green mutant in cultivated diploid potatoes, 439 (abst.).
KEANE, J. *see* GOTH, R.W.
KELLING, K.A., *see* PANIQUE, E.
KEITH, C.N.F. *see* HUGHES, B.R.
KIMPINSKI, J. and H.W. PLATT. *Pratylenchus* spp. and *Verticillium* spp. in New Brunswick potato fields, 439 (abst.).
KIRK, W.W. *see* DOUCHES, D.S.
KIRK, W.W. *see* DOUCHES, D.S.
KIRK, W., B.A. NIEMIRA, B. KITCHEN, J. STEIN, and R. HAMMERSCHMIDT. Digital assessment of late blight (*Phytophthora infestans*) in tubers of three susceptible varieties as influenced by storage temperatures, 440 (abst.).
KIRK, W. *see* NIEMIRA, B.A.
KITCHEN, B. *see* KIRK, W.W.
KLEINKOPF, G.E., T.L. BRANDT, M.J. FRAZIER, and G. MOLLER. CIPC residues on stored Russet Burbank potatoes: 1. Maximum label application, 107.
KLEINKOPF, G.E. *see* CORSINI, D.
KLEINKOPF, G.E. *see* LEWIS, M.D.
KLEINKOPF, G.E. *see* SCHISLER, D.A
KOBAYASHI, R.S. *see* KOWALSKI, S.P.
KOBAYASHI, R.S. *see* SANFORD, L.L.
KOBAYASHI, R.S *see* SANFORD, L.L.
KOWALSKI, S.P., J.M. DOMEK, F.G. PEREZ, L.L. SANFORD, and K.L. DEAHL. Foliar glykoalkaloids as resistance factors to the Colorado potato beetle studies using synthetic diets, 441 (abst.).
KOWALSKI, S.P. *see* SANFORD, L.L.
KOWALSKI, S.P., G.C. YENCHO, R.S. KOBAYASHI, F.G. PEREZ, S.L. SINDEN, and K.L. DEAHL. Q.T.L. analysis as a tool to study biosynthetic pathways mapping of solanidine and solansodine genes in potato, 441 (abst.).
KURZ, J. *see* SINGH, R.P.

LADISLAV, L. *see* ALI-KAHN, S.T.
LAFOND, J. *see* SIMARD, R.R.
LAIRD, D.W., A.B. BASSI, and A. TALLY. Ridomil Gold™: a highly active isomer of Metalaxyl for potato disease control, 422 (abst.).
LAMBERT, D.H. and A.I. CURRIER. Differences in tuber rot development for North American clones of *Phytophthora infestans*, 39.
LAMBERT, D.H., A.J. CURRIER, and M. OLANYA. Transmission of *Phytophthora infestans* in cut potato seed, 442 (abst.).
LAMBERT, D.H. *see* REEVES, A.F.
LAMBERT, R. *see* ROMAIN, R.
LAN YU *see* LANGILLE, A.R.
LANGILLE, A.R., YULAN, and A.F. REEVES. A potato protoclone selected for Fusarium resistance which also exhibits resistance to *Rhizoctonia solani*, 443 (abst.).
LAPOINTE, C. *see* ROMAIN, R.
LaROTONDA, G. *see* BARONE, A.
LEJARCEGUT, X. *see* ZARRABEITIA, A.
LEWIS, M.D., G.E. KLEINKOPF, and K.K. SHETTY. Dimethylnapthalene and diisopropylnapthalene for potato sprout control in storage : 1. application methodology and efficacy, 183.
LIEW, C. *see* PRANCE, R.
LI, W., D.S. DOUCHES, W. PETT, J. COOMBS, K. ZARKA, and E. GRAFIUS. Vector construct modifications to manipulate CRYV-BT expression in potato, 443 (abst.).
LONGTINE, C. *see* NOVY, R.
LORENZEN, J.H. and BALBYSHEV, N.F. ND2858-1: A useful source of resistance to the Colorado potato beetle, 331.
LORENZEN, J.H. *see* NOVY, R.G.
LONG, C. *see* DOUCHES, D.S.
LORIA, R., B.A. FRY, R.A. BUKHALID, and E.A. GRACE. Effects of Thaxtomin A. A phytotoxin produced by plant pathogenic *Streptomyces* species, on plants, 443 (abst.).
LORIA, R. *see* OLIVIER, C.
LOVE, S.L. *see* MANRIQUE, K.K.
LOVE, S.L. *see* NOLTE, P.
LOVE, S.L., B.K. WERNER, and J.J. PAVEK. Selection for individual traits in the early generations of a potato breeding program dedicated to producing cultivars with tubers having long shape and russet skin, 199.
LOVE, S.L., B.K. WERNER, and J.J. PAVEK. Selection for individual traits in the early generations of a potato breeding program, 444 (abst.).
LOZOYA-SALDAÑA, H. *see* HERNANDEZ, A.
LOZOYA-SALDAÑA, H. and A. HERNANDEZ. International field evaluation for late blight resistance and yield of advanced potato clones in the Toluca Valley in 1996, 444 (abst.).
LOZOYA-SALDAÑA, H., A. HERNANDEZ, R. FLORES, and J. BAMBERG. Late blight on *Solanum* species in the Toluca Valley in 1996, 445 (abst.).
LUDY, R.L. and M.L. POWELSON. Seed piece treatments for control of late blight of potato, 445 (abst.).
LULAI, E.C. Rishitin accumulation in wounded tubers: Effects of wound severity and tissue location, 446 (abst.).
MacLEAN, V. *see* MAXWELL, P.
MacLEAN, V. *see* PETERS, R.O.
MacPHAIL, A. *see* PETERS, R.O.
MAHABIR, C. *see* MISENER, C.C.
MANRIQUE, K.K., S.L. LOVE, and J. BROWN. Investigation of the inheritance and response to cultural conditions of reducing sugars and starch content in potato (*Solanum tuberosum* L.), 446 (abst.).
MARTIN, M. *see* BAMBERG, J.B.

MATHESON, B.G. *see* STURZ, A.V.
MAXWELL, P., H.W. PLATT, R. NAZAR, J. ROBB, and V. MacLEAN. Use of PCR for the detection of *Verticillium* species in soil, 456 (abst.).
McBEATH, J.H. Mycoparsitism of *Trichoderma atroviride* on *Phytophthora infestans* A1 and A2 mating types, 448 (abst.).
McCOWN, B.H. *see* YU, W-C.
McGRATH, J.M. *see* HELGESON, J.P.
McINERNEY, J. *see* COLEMAN, W.K.
MCMILLAN, L.P. *see* MISENER, G.C.
McMORRAN, J. *see* FERNANDO, S.
McWILLIAMS, M.L. *see* BLANKEMEYER, J.T.
MEDINA, M., H.W. PLATT, and R.D. PETERS. Responses of seven potato cultivars to late blight tuber rot caused by Canadian isolates of *Phytophthora infestans*, 447 (abst.).
MEDINA, M. *see* PETERS, R.D.
MEDINA, M. *see* PLATT, H.W.
MELVILLE, L. *see* WALSH, J.
MICHAUD, R. *see* ROMAIN, R.
MILLER, JR., J.C., D.C. SCHEURING, J.P. MILLER, and G.C.J. FERNANDEZ. Selection, evaluation, and identification of superior Russet Norkotah strains, 448 (abst.).
MILLER, J.P. *see* MILLER, JR., J.C.
MILLER, L. *see* SOUZA-DIAS, J.A.C.
MILLS, D. and B.W. RUSSELL. A PCR ELISA-based detection method using three unique DNA fragments specific for *Clavibacter Michiganensis* subsp. *sepedonicus*, 449 (abst.).
MINGO-CASTEL, A.M. *see* ZARRABEITIA, A.
MISENER, G.C., G.C.C. TAI, L.P. McMILLAN, S. OBORN, and C. MAHABIR. An educational computer-based multimedia system for enhancing crop yield through improved potato planting, 119.
MIZUBUTI, E.S.C. *see* OLIVIER, C.
MOJTAHEDI, H. *see* BROWN, C.R.
MOLLER, G. *see* KLEINKOPF, G.E.
MOORE, L.M. *see* SINGH, R.P.
MOREHART, A.L. *see* MOHAMED, S.
MORELLI, J.K. *see* VAYDA, M.E.
MORSE, R.D. *see* MUNDY, C.
MOSLEY, A. *see* FERNANDO, S.
MOTA-SANCHEZ, D. *see* GRAFIUS, E.J.
MOZAFARI, J., D.J. WOLYN, and S.T. ALI-KAHN. Comparative analysis of regeneration response and tissue culture derived variation in 2X and 4X potato genotypes, 449 (abst.).
MPOFU, S.I. and R. HALL. Control of verticillium wilt of potato by thermosanitation, 450 (abst.).
MULLROONY, R.P. *see* MOHAMED, S.
MUNDY, C., N.G. CREAMER, C.R. CROZIER, and R.D. MORSE. Potato production and soil physical characteristics with conventional tillage, no-tillage, and subsurface tillage, 450 (abst.).
NAESS, S.K. *see* HELGESON, J.P.
NASIRUDDIN, K.M. and J. BLAKE. Effect of Rindite on storage behavior, dormancy break and sprout growth of potato microtubers (cv. Desiree), 325.
NAZAR, R. *see* MAXWELL, P.
NEWBERRY, G. and R. THORNTON. Affect of seed tuber and seed piece damage on Russet Burbank tuber yield and quality, 451 (abst).
NIEMIRA, B.A. *see* KIRK, W.
NIEMIRA, B.A., W. KIRK, D. DOUCHES, and R. HAMMERSCHMIDT. Leaf anatomy variation in late blight (*Phytophthora infestans*) susceptible and resistant potato cultivars, 451 (abst.).
NOLIN, M.C. *see* CAMBOURIS, A.N.
NOLTE, L.L. *see* BARRETT, K.B.

NOLTE, P. *see* BARRETT, K.B.
NOLTE, P., M.K. THORNTON, S.L. LOVE, P.H. BERGER, J.L. WHITWORTH, and R. DAVIDSON. Influence of different levels of seed borne PVY on yield of three potato varieties, 452 (abst.).
NOVY, R. and C. LONGTIME. *Solanum etuberosum*: a potential source of resistance to green peach aphid, potato leaf roll virus, and potato virus Y, 452 (abst.).
NOVY, R.C., R.H.JOHANSEN, G.A. SECOR, B.L. FARNSWORTH, J.H. LORENZEN, N.C. GUDMESTAD, and E.T. HOLM. NorDonna: a red-skinned potato cultivar with wide adaptability, 31.
OBORN, S. *see* MISENER, G.C.
OHMANN, S.M. *see* SIM, S.K.
OJALA, J. *see* BERTRAM, M.C.
OLANYA, M. *see* LAMBERT, D.
OLIVIER, C., E.S.G. MIZUBUTI, D.E. HALSETH, and R. LORIA. Carbonate and bicarbonate salts and organic acids suppress *Helmintosporium solani* and development of silver scurf, 452 (abst.).
OLSEN, N.L. and R. E. THORNTON. Seed potato vigor as a function of storage conditions, 453 (abst.).
ORMROD, D.J. *see* BAMBERG, J.B.
OSTROWSKI, R.C. *see* SCHISLER, D.A.
OSTROWSKI, R.C. *see* SLININGER, P.J.
PAGE, R. *see* KALT, W.
PAGE, R. *see* PRANGE, R.
PALTA, J.P. *see* CHEN, Y-K.
PALTA, J.P. *see* GUNTER, C.C.
PALTA, J.P. *see* GUNTER, C.C.
PALTA, J.P. *see* VEGA, S.E.
PANIQUE, E., K.A. KELLING, E.E. SCHULTE, D.E. HERO, W.R. STEVENSON, and R.V. JAMES. Potassium rate and source effects on potato yield, quality, and disease interaction.
PARKS, R.L., M.L. POWELSON, M.R. CAPPAERT, and K.B. JOHNSON. Response of potato to verticillium wilt following a sudangrass green manure in two soil types in one location, 454 (abst.).
PAVEK, J.J. *see* LOVE, S.L.
PAVEK, J.J. *see* LOVE, S.L.
PAVEK, J.J. and D.L. CORSINI. A86SXD-7: A cold chipping diploid parent with 2N pollen, 454 (abst.).
PAVULURI, S., T.P. FREEMAN, D. BAER, and N.C. GUDMESTAD. Scanning electron microscopy of mucoid and non-mucoid strains of *Clavibacter michiganensis* subsp. *sepedonicus* in infected potato stems, 454 (abst.).
PELLETIER, Y. Identification of the mode of resistance to the Colorado potato beetle in wild *Solanum* species, 455 (abst.).
PERALTA, I.E., H. BALLARD, JR., and D.M. SPOONER. "WAXY" gene intron phylogeny of tomatoes, *Solanum* subsect. *Lycopersicum* (Solanaceae), 455 (abst.).
PEREZ, F.G. *see* KOWALSKI, S.P.
PEREZ, F.G. *see* KOWALSKI, S.P.
PEREZ, F.G. *see* RONNING, C.M.
PERLEY, M. *see* PLATT, H.W.
PETERS, R.D. *see* MEDINA, M.
PETERS, R.D., H.W. PLATT, R. HALL, A. DRISCOLL, A MacPHAIL, S. JENKINS, E. CONNERS, M. MEDINA, and V. MacLEAN. Continuing characterization studies of evolving populations of *Phytophthora infestans* causing late blight of potates in Canada, 456 (abst.).
PETERSON, R.L. *see* WALSH, J.
PETT, W. *see* LI, W.
PINEDA, O., R.L. PLAISTED, and S.D. TANKSLEY. Identification of RFLP markers linked to loci conferring resistance to the potato cyst nematode, *Globodera pallida*, 457 (abst.).

PINEDA, O., R.L. PLAISTED, and S.D. TANKSLEY. A reliable molecular marker to screen tetraploid populations for the presence of the HI gene conferring resistance to the potato cyst nematode *Globodera rostochiensis*, 458 (abst.).
PIOVANO, S. *see* JOHNSON, A.
PLAISTED, R.L. *see* CHACON, G.
PLATT, H.W. *see* KIMPINSKI, J.
PLATT, H.W. *see* MAXWELL, P.
PLATT, H.W. *see* MEDINA, M.V.
PLAISTED, R.L. *see* PINEDA, O.
PLAISTED, R.L. *see* PINEDA, O.
PLATT, H.W. *see* PETERS, R.D.
PLATT, H.W., M. MEDINA, S. PERLEY, and J. WALSH. Overwintering survival of oospores of *Phytophthora infestans* under potato field conditions, 458 (abst.).
PLISSEY, E.S. *see* REEVES, A.F.
PORTER, G.A. *see* FITZGERALD, C.B.
PORTER, G.A. and J.A. SESSON. Cull potato compost and fertilizer rate effects on potato nutrient uptake and tuber yields, 459 (abst.).
PORTER, G.A. and J.A. SISSON. Seedpiece spacing, fertilizer rate, and green sprouting effects on stem numbers, tuber set, yield and quality of three russeted potato varieties, 459 (abst.).
PORTER, G.A. *see* REEVES, A.F.
PORTER, G.A. *see* ZHANG, L.
POWER, R.J., R.A. HAMLEN, R.M. GIMENEZ, and R. IRUEGAS. Curzate® M-8 and *Phytophthora infestans* (1) curative efficacy against a US-8 genotype as effected by temperature and (2) influence of exposure on seasonal stability of sensitivity, 460 (abst.).
POTTS, W.J.E. *see* HAYNES, K.G.
POWELSON, M.L. *see* CAPPAERT, M.R.
POWELSON, M.L. *see* CAPPAERT, M.R.
POWELSON, M.L. *see* INGLIS, D.A.
POWELSON, M.L. *see* LUDY, R.L.
POWELSON, M.L. *see* PARKS, R.L.
PRANGE, R., W. KALT, B. DANIELS-LAKE, L. CHIAM, J. WALSH, J. WALSH, P. DEAN, R. COFFIN, and R. PAGE. Ethylene as a sprout control agent in stored Russet Burbank potatoes, 460 (abst.).
PRANGE, R. *see* KALT, W.
PRITCHARD, M.K. *see* WANG, L.
PRITCHARD, M.K. *see* WANG, L.
RAASCH, J.A. *see* HELGESON, J.P.
RAMON, M., F.C. SERQUEN, and R.E. HANNEMAN, JR. A hybrid between a *S. tuberosum*, Gp. tuberosum haploid and *S. pinnatisectum*, 460 (abst.).
RAVICHANDRAN, V. *see* JOHNSON, A.
REEVES, A.F., G.A. PORTER, T.M. WORK, D.H. LAMBERT, A.A. DAVIS, and E.S. PLISSEY. Mainestay: A high-yielding, round white potato variety for fresh market, 255.
REEVES, A.A. *see* WORK, T.M.
REEVES, A.F. *see* LANGILLE, A.R.
RIGGLE, B. and R. SCHAFER. Evaluation of alternative sprout inhibitors applied alone and in combination with CIPC, 461 (abst.).
ROBB, J. *see* DAN, H.
ROBB, J. *see* MAXWELL, P.
RODRIGUEZ-SAONA, L.E. and R.E. WROLSTAD. Influence of potato composition on chip color quality, 87.
ROMAIN, R., R. LAMBERT, R. MICHAUD, and C. LAPOINTE. Impact of fungicides, fertilizers, and cultural practices on potato yields, 462 (abst.).
RONNING, C. *see* SANFORD, L.L.

RONNING, C.M., L.L. SANFORD, J.R. STOMMEL, F.G. PEREZ, and K.L. DEAHL. Inheritance of leptine production in Solanum chacoense, 462 (abst.).
ROSENFELD, A. *see* STALHAM, M.
ROUSE, D. *see* JANSKY, S.
RUSSELL, B.W. *see* MILLS, D.
RUSSO, P. *see* SOUZA-DIAS, J.A.C.
SANDERSON, J.B., M.R. CARTER, H.W. JOHNSTON, and D.A. HOLMSTROM. Feasilibity of minimum tillage practices for potato rotations in Prince Edward Island, 463 (abst.).
SANFORD, L.L. Tuber yields and specific gravities in *Solanum tuberosum* populations recurrently selected for resistance to potato leafhopper, 65.
SANFORD, L.L., R.S. KOBAYASHI, K.L. DEAHL, and S.L. SINDEN. Diploid and tetraploid *Solanum chacoense* genotypes that synthesize leptine glycoalkaloids and deter feeding by Colorado potato beetle, 15.
SANFORD, L.L., S. KOWALSKI, K.L. DEAHL, and C. RONNING. Glycoalkaloid contents of tetraploid *Solanum chaeoense* X *S. tuberosum* F_2 hybrid and backcross genotypes, 463 (abst.).
SANFORD, L.L. *see* KOWALSKI, S.P.
SANFORD, L.L. *see* RONNING, C.M.
SANTO, G.S. *see* BROWN, C.R.
SCHAFER, R. *see* RIGGLE, B.
SCHEURING, D.C. *see* MILLER, JR., J.C.
SCHISLER, D.A., G. KLEINKOPF, P.J. SLININGER, R.J. BOTHAST, and R.C. OSTROWSKI. Three years of biological control of Fusarium dry rot under commercial storage conditions, 464 (abst.).
SCHISLER, D.A. *see* SLININGER, P.J.
SCHNEIDER, K. and D.S. DOUCHES. Assessment of PCR-based simple sequence repeats to fingerprint North American potato cultivars, 149.
SCHUCK-ENNIS, B. *see* BROWN, C.R.
SCHULTE, E.E. *see* PANIQUE, E.
SCOTT, J.B. *see* JONES, W.B.
SECOR, G.A. *see* HAYNES, K.G.
SECOR, G.A. *see* NOVY, R.G.
SEABROOK, J.E.A. and L.K. DOUGLASS. Potato minituber yield optimized by adjusting plantlet spacing: fertilizer and containers, 464 (abst.).
SEABROOK, J.E.A. *see* AZIZ, A.N.
SERQUEN, F.C. *see* RAMON, M.
SEDEGUI, M., R.B. CARROLL, A.L. MOREHART, D.P. WHITTINGTON, and R.P. MULLROONY. Forecasting potato late blight in Morocco and Delaware, 465 (abst.).
SERQUEN, F.C. and R.E. HANNEMAN, JR. Detection of gene flow between wild and cultivated potato species using RAPD markers, 465 (abst.).
SHETTY, K.K. *see* LEWIS, M.D.
SHIBLI, R.A. *see* EREIFEJ, K.I.
SIM, S.K., S.M. OHMANN, and B.S. TONG. Comparison of polyphenol oxidase in tubers of *Solanum tuberosum* and the non-browning tubers of *S. hjertingii*, 1.
SIMARD, R.R. *see* CAMBOURIS, A.N.
SIMARD, R.R., A. CAMBOURIS, J. LAFOND, and A. TYOUSS. P soil test for potatoes, 466 (abst).
SIMKO, I. *see* EWING, E.E.
SINDEN, S.L. *see* KOWALSKI, S.P.
SINDEN, S.L. *see* SANFORD, L.L.
SINGH, R.P., J. KURZ, G. BOITEAU, and L.M. MOORE. Potato leafroll virus detection by RT-PCR in field-collected aphids, 305.
SINGH, M. and R.P. SINGH. Potato virus Y detection sensitivity of RT-PCR depends on the size of fragment amplified, 466 (abst.).

SINGH, M. *see* R.P. SINGH
SINGH, M. *see* WATTS, N.R.
SINGH, R.P. High level of potato virus A resistance in cultivars Bake King and Shepody, 467 (abst.).
SINGH, R.P. *see* COFFIN, A.
SINGH, R.P. *see* SINGH, M.
SINGH, R.P. *see* WATTS, N.R.
SISSON, J.A. *see* PORTER, G.A.
SISSON, J.A. *see* PORTER, G.A.
SLACK, S.A. *see* SOUZA-DIAS, J.A.C.
SLININGER, P.J. *see* SCHISLER, D.A.
SLININGER, P.J., D.A. SCHISLER, K.D. BURKHEAD, R.C. OSTROWSKI, and R.J. BOTHAST. Development of biological agents for the control of Fusarium dry rot disease of stored potatoes, 467 (abst.).
SONG, J. and J. JIANG. Toward a potato bacterial artificial chromosome library, 468 (abst.).
SOUZA-DIAS, J.A.C., P. RUSSO, J.A. BETTI, L. MILLER, and S.A. SLACK. A simplified extraction method for ELISA and PCR detection of primary potato leafroll virus (PLRV) infection in dormant potato tubers, 468 (abst.).
SOUZA-DIAS, J.A.C., and J.F. TRISTAO. Rise of PVY incidence in seed potato regions of Sao Paulo State (BRAZIL) associated with the introduction of Atlantic potatoes, 469 (abst).
SOWOKINOS, J.R. Activity and isozyme pattern changes in UDP-glucose pyrophosphorylase (VGPase) during growth and storage of potatoes which differ markedly in their ability to sweeten in the cold, 469 (abst.).
SPEGGIORIN, M. *see* CARPUTO, D.
SPOONER, D.M. *see* PERALTA, I.E.
STALHAM, M. and A. ROSENFELD. Effect of compaction and irrigation regime on growth and water use, 470 (abst.).
STANKIEWICZ, A. *see* DAN, H.
STEIN, J. *see* KIRK, W.
STERRETT, S.B. and M.R. HENNINGER. Internal heat necrosis in the Mid-Atlantic region-influence of environment and cultural management, 233.
STEVENSON, W. *see* HAYNES, K.G.
STEVENSON, W.R. *see* PANIQUE, E.
STEWART, J. BIT-transgenic potatoes affect the potato flea beetle, 470 (abst.).
STOMMEL, J.R. *see* RONNING, C.M.
STURZ, A.V.and B.G. MATHESON. Populations of endophytic bacteria which influence host-resistance to Erwinia-induced bacterial soft rot in potato tubers (abst.).
STURZ, A.V. *see* COFFIN, A.
TAI, G.C.C. *see* HONESS, B.L.
TAI, G.C.C. *see* MISENER, G.C.
TAI, G.C.C. *see* AZIZ, A.N.
TALLY, A. *see* LAIRD, D.W.
TANKSLEY, S.D. *see* PINEDA, O.
TANKSLEY, S.D. *see* PINEDA, O.
TEPARKUM, S. *see* JOHNSON, A.
TEPARKUM, S. and R.E. VEILLEUX. Genetic similarity of anther-derived plants determined by RAPD markers, 471 (abst.).
THOMPSON-JOHNS, A. and R.D. DAVIDSON. Assessing new potato cultivars, 472 (abst.).
THORNTON, M.K. *see* NOLTE, P.
THORNTON, R. *see* INGLIS, D.
THORNTON, R. *see* NEWBERRY, G.
THORNTON, R.E. *see* OLSEN, N.L.
THORNTON, R.E. *see* TIMM, G.H.

TIMM, G.H. and R.E. THORNTON. Carbohydrate status in aging potato tubers related with sprout growth and mini-tuber formation, 472 (abst.).
TONG, B.S. *see* SIM, S.K.
TRISTAO, J.F. *see* SOUZA-DIAS, J.A.C.
TYOUSS, A. *see* SIMARD, R.R.
Van der MERWE, J.J. *see* VAN HEST, P.
VAN HEST, P. and J.J. Van der MERWE. Potato hybrids in South Africa: meeting and exceeding market standards, 473 (abst.).
VAYDA, M.E., J.K. MORELLI, and K.M. ENGLEHART. Development of strategies to detect low levels of viruses in potato tuber tissue, 473 (abst.).
VEGA, S.E., J.B. BAMBERG, and J.P. PALTA. Potential for improving freezing stress tolerance of wild potato germplasm by supplemental calcium fertilization, 473 (abst.).
VEILLEUX, R.E. *see* BOLUARTE, T.
VEILLEUX, R.E. *see* CANI, E.
VEILLEUX, R.E. *see* CUTRIGHT, R.
VEILLEUX, R.E. *see* JOHNSON, A.
VEILLEUX, R.E. *see* TEPARKUM, S.
VERAMENDI, J. *see* ZARRABEITIA, A.
WALSH, J. *see* KALT, W.
WALSH, J. R.L. PETERSON, and L. MELVILLE. Effect of temperature on curing Fall and Spring pre-cut Russet Burbank seed potatoes, 474 (abst.).
WALSH, J. *see* PLATT, H.W.
WALSH, J. *see* PRANGE, R.
WANG, L. and K.K. PRITCHARD. Effects of ethylene on respiration and sugar content of Russet Burbank and shepody potatoes, 474 (abst.).
WANG, L. and M.K. PRITCHARD. Ethylene contamination during CIPC application increases respiration and sugars of stored potatoes, 475 (abst.).
WATTS, N.R., M. SINGH, and R.P. SINGH. Potato virus X isolates from potato collected in eastern Canada with different symptons in tobacco differ in their coat proteins, 245.
WEINGARTNER, D.P. *see* HAYNES, K.G.
WERNER, B.K. *see* LOVE, S.L.
WERNER, B.K. *see* LOVE, S.L.
WESTEDT, A., D.S. DOUCHES, and E. GRAFIUS. Evaluation of natural and engineered resistance mechanisms in *Solanum tuberosum* L. for resistance to *Phthorimaea Operculella zeller*, 476 (abst.).
WESTERMAN, D.T., J.R. DAVIS, and D.D. EVERSON. Green manure crops and petiole nutrient concentrations relationships revisited, 476 (abst.).
WHALON, M.E. *see* GRAFIUS, E.J.
WHITTINGTON, D.P. *see* MOHAMED, S.
WHITWORTH, J.L. *see* NOLTE, P.
WIELGUS, S.M. *see* HELGESON, J.P.
WOLYN, D.J. *see* MOZAFARI, J.
WORK, R.W., T.M. WORK, and A.A. BUSHWAY. The relationship of chlorogenic acid, free tyrosine and polyphenoloxidase and enzymatic browning in four potato cultivars, 476 (abst.).
WORK, T.M. and A.A. REEVES. The application of preference mapping and sensory descriptive analysis to guide potato breeding in Maine, 477 (abst.).
WORK, T.M. *see* REEVES, A.F.
WORK, T.M. *see* WORK, R.W.
WROLSTAD, R.E. *see* RODRIGUEZ-SAONA, R.F.
YANG, C.P. *see* BROWN, C.R.
YENCHO, G.C. *see* KOWALSKI, S.P.
YU, W-C, P.J. JOYCE, D.C. CAMERON, and B.H. McCOWN. Sucrose utilization during microtuber growth, 477 (abst.).

IC 202 - XC - 12/30/99
UNI MICROFILMS INC
300 NORTH ZEEB ROAD
ANN ARBOR MI 48106-1346

ZARKA, K. *see* LI, W.
ZAVALA, T. *see* HERNANDEZ, A.
ZHANG, L., G.A. PORTER, and R.J. BUSHWAY. Ascorbic acid and glycoalkaloid content of Atlantic and Superior potato tubers as affected by supplemental irrigation and soil amendments, 285.
ZARRABEITIA, A., X. LEJARCEGUI, J. VERAMENDI, and A.M. MINGO-CASTEL. Influence of nitrogen supply micropropagation and subsequent microtuberization of four potato cultivars, 369.
ZOINA, A. *see* CARPUTO, D.